ProQuest: ProQuest Platform Accessibility Conformance Report

VPAT[®] Version 2.3 (Revised)

| Name of Product/Version: | ProQuest Platform / March 2021 release |
|--------------------------|---|
| Product Description: | The ProQuest platform makes hundreds of full text and A&I (abstract & index) collections accessible to |
| | researchers around the world. |
| Report Date: | March 2021 |
| Contact information: | email.technicalsupport@proquest.com |
| Notes: | ProQuest is committed to providing an experience that is fully accessible to everyone. We make every |
| | effort to ensure that all pages comply with web accessibility guidelines. Due to the scale and complex |
| | nature of ProQuest Platform content and services, this is an ongoing effort. We appreciate your |
| | feedback. |
| | Subscribers to Early European Books should note that the interactive data map included in this database |
| | is not covered in this report. We are currently exploring ways to improve its compliance, including |
| | providing non-visual alternatives. |
| Evaluation Methods Used: | The ProQuest Platform is checked for accessibility using a range of automated, manual, and |
| | visual checks. Tools used to test accessibility include: |
| | JAWS screen reader |
| | NVDA (NonVisual Desktop Access) screen reader |
| | VoiceOver screen reader |
| | Keyboard-access manual testing and assessment |
| | Color Contrast Analyzer provided by WebAIM |
| | WAVE (Web Accessibility Evaluation tool) provided by WebAIM |
| | Axe DevTools provided by Deque |
| | Chrome Developer Tools |

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline | Included In Report |
|---|---|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) |
| | Level AA (Yes) |
| | Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) |
| | Level AA (Yes) |
| | Level AAA (No) |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements suitable for public procurement of ICT | Referenced under success criteria in Tables |
| products and services in Europe, - V2.1.2 (2018-08) | 1 and 2 below |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.

WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| 1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | The ProQuest Platform is designed to support alternative access to non-text content wherever possible. All images used to represent functionality or actions have associated text labels (or alternative text if a text label is not appropriate). We cannot guarantee that all images in HTML content have been given alt text. Decorative images have blank alt text, so they will be ignored by assistive technology. Controls: Text labels identify all form fields. Label / ids and other accessible code necessary for screen readers are associated with all form elements. reCAPTCHA may present the user with either a simple keyboard-accessible challenge, or a more complex visual challenge with an audio option available. Compliance of this standard was validated using screen readers (listed above in the 'Evaluation methods used'). |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Transcripts are available for most video-only and audio-only content. Compliance of this standard was validated by manual visual checks. |
| 1.2.2 Captions (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Synchronized captions are available for the majority of video content. This standard was evaluated by manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Transcripts are provided for the majority of video content. A small number of videos also have audio described versions. This standard was evaluated by manual visual checks. |
| 1.3.1 Info and Relationships(Level A)Also applies to:EN 301 549 Criteria9.1.3.1 (Web)10.1.3.1 (Non-web document)11.1.3.1.1 (Open Functionality Software)11.1.3.1.2 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | The site employs the following to support this: • labels/ids with form elements Correct use of semantic markup e.g. for headings/lists Compliance of this standard was validated by WAVE (web accessibility evaluation tool) provided by WebAIM and manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 1.3.2 Meaningful Sequence(Level A)Also applies to:EN 301 549 Criteria9.1.3.2 (Web)10.1.3.2 (Non-web document)11.1.3.2.1 (Open Functionality Software)11.1.3.2.2 (Closed Software)11.1.3.2.2 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Content is ordered in a meaningful sequence, even when page styling is turned off. Compliance of this standard was validated using screen readers (listed above) and WAVE. |
| 1.3.3 Sensory Characteristics (Level A)Also applies to:EN 301 549 Criteria9.1.3.3 (Web)10.1.3.3 (Non-web document)11.1.3.3 (Open Functionality Software)11.1.3.3 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Instructions provided do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound. Typically, descriptive text and labels are used. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 1.4.1 Use of Color (Level A)Also applies to:EN 301 549 Criteria9.1.4.1 (Web)10.1.4.1 (Non-web document)11.1.4.1 (Open Functionality Software)11.1.4.1 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Color is used to enhance usability by drawing attention to certain areas of the screen. Color is never the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. Compliance of this standard was validated using manual visual checks and WAVE. |
| 1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria9.1.4.2 (Web)10.1.4.2 (Non-web document)11.1.4.2 (Open Functionality Software)11.1.4.2 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Audio content does not play automatically. All audio and video content are provided in a media player with controls for pausing and controlling the volume. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | This product is designed for keyboard access. Product functionality is available and executable from a keyboard. Note: When viewing books in the Ebook Central database, use Accessibility Mode to navigate the content and access functionality using a keyboard. To enable Accessibility Mode, sign into Bookshelf from the ProQuest Platform and select the option within Account Settings. Compliance of this standard was validated using manual keyboard checks. |
| 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Focus can be moved to and away from components using only a keyboard. Compliance of this standard was validated using manual keyboard checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | There are no shortcuts triggered using only letter (including upper-and lower-case letters), punctuation, number, or symbol characters. Shortcuts are available for controlling the video player, but these shortcuts use tab, space bar, escape, and arrow keys. Furthermore, they are only active when the video player has focus. Compliance of this standard was validated using manual keyboard checks. |
| 2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | This site does not require timed responses. There is a time limit to the user's session, however the user is alerted when the time limit is approaching and can extend their session if required. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | There is no moving, blinking, scrolling, or auto- updating content on the site. Compliance of this standard was validated using manual visual checks. |
| 2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1(Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | This product does not use flashing or blinking elements in the user interface. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | Supports | The first element on every page is a "Skip to main content" link which allows users to skip all repetitive navigation. Additional skip links are included on some pages to aid keyboard navigation e.g. jump links on Timelines. Blocks of content are usually preceded by heading elements. Side panels can be collapsed to avoid navigating through the content e.g. Date filter on Results page. Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks. |
| 2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) - Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | All pages of the ProQuest site have descriptive page titles. Compliance of this standard was validated using WAVE and manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Page elements and functionality are placed in an order that follows the sequences and relationships in the content. On the Results page, the filter panel follows the list of the results in programmatic order, which is different from the presentation order, allowing users to get to their results more quickly. Compliance of this standard was validated using manual keyboard checks. |
| 2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Meaningful link text has been used throughout the ProQuest platform. Where link text could be considered ambiguous, we have used techniques such as hidden text, ARIA labels and title attribute text to provide additional information. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 2.5.1 Pointer Gestures (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | No path-based or multi-point gestures are used. |
| 2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | Interactions are executed on the Up action of buttons and links. Compliance of this standard was validated using manual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3 (Open Functionality Software) 11.2.5.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) | Supports | Accessible names are present on form elements and match the visible labels. Compliance of this standard was validated using manual visual checks. |
| 2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Not Applicable | Content does not require motion controls or physical gestures to access content or functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | The language of each page has been specified in the HTML. Compliance of this standard was validated using WAVE. |
| 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Context is not changed on focus alone. Compliance of this standard was validated using manual visual and keyboard checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Context is not changed automatically – appropriate controls are provided. Exception: There are currently several form controls on results pages that automatically update the page when the state is changed without prior warning e.g. Sort by and Items per page dropdowns. Compliance of this standard was validated using manual visual and keyboard checks. |
| 3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Error messages are provided on all forms within the ProQuest Platform. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 3.3.2 Labels or Instructions (Level A)Also applies to:EN 301 549 Criteria9.3.3.2 (Web)10.3.3.2 (Non-web document)11.3.3.2 (Open Functionality Software)11.3.3.2 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Input fields are clearly labeled, and explanatory text is provided to assist the user where necessary. Compliance of this standard was validated using manual visual checks. |
| 4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Pages conform to HTML web standards. Compliance of this standard was validated using WAVE and developer tools. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Not required 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Pages conform to HTML web standards, so the name and role of all UI components can be determined. Text labels identify all form fields. Label / ids and other accessible code necessary for screen readers are associated with all form elements. Compliance of this standard was validated using WAVE and manual visual checks. |

Table 2: Success Criteria, Level AA

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | The product does not contain live audio or video content. This standard was evaluated using manual visual checks. |
| 1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Audio descriptions are not included for the vast majority of video content that we receive from publishing partners. ProQuest has added a small number of audio descriptions for high use recordings in Academic Video Online. This standard was evaluated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 1.3.4 Orientation (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | The ProQuest platform has been developed with responsive Web design in mind. All content and functionality are available regardless of device orientation. |
| 1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5 (Open Functionality Software) 11.1.3.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | The autocomplete attribute has been added to programmatically identify the purpose of form input fields that collect information on the user. This applies to a small number of fields on My Research pages, the Email modal, and Request an item (if present). |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 1.4.3 Contrast (Minimum) Also applies to: EN 301 549 Criteria9.1.4.3 (Web)10.1.4.3 (Non-web document)11.1.4.3 (Open Functionality Software)11.1.4.3 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Text throughout the ProQuest platform meets the recommended color contrast ratio. In addition, CSS style sheets can be switched off or overridden by user preferences. Compliance of this standard was validated using WAVE and WebAIM's color contrast checker. |
| 1.4.4 Resize text(Level AA)Also applies to:EN 301 549 Criteria9.1.4.4 (Web)10.1.4.4 (Non-web document)11.1.4.4.1 (Open Functionality Software)11.1.4.4.2 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Text throughout the ProQuest platform can be resized without assistive technology up to 200% without loss of content or functionality. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | HTML/CSS is used to represent visual presentation whenever possible. Full text content is presented as text wherever available. PDFs for all new historical magazine archive digitization projects started since January 2019 are enhanced with high accuracy OCR background text, logical text flow, semantic markup, and alt text for images. Exception: Some full text articles are only available as scanned images or scanned PDFs. Where practical, products with documents that are only available as scanned page images or pdfs include an option in the platform to generate an OCRed (plain text) version of the page on-the-fly that is readable with Assistive Technology. This standard was evaluated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10.1 (Open Functionality Software) 11.1.4.10.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Partially Supports | The ProQuest platform interface has been developed with responsive Web design in mind. Text and columns reflow on browser resize or zoom so that the horizontal scrollbar doesn't appear on most pages. Exceptions: Some full text articles are only available as page images in jpeg format. The text in image-based PDFs does not reflow where it is important to preserve the layout of the original printed page e.g. ProQuest historical magazine archive digitization projects. The text in native PDFs may not reflow where they have not been created by the author/publisher to conform to PDF/Universal Accessibility (ISO 14289). |
| 1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) | Supports | Non-text content, such as icons, meets minimum standards of 3:1 color contrast ratio with the surrounding background. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 1.4.12 Text Spacing (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | Most text on the site is styled without any fixed heights or widths and most text in containers have containers that grow with them and do not overlap other containers. This standard was evaluated using manual visual checks. |
| 1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | Content that shows up on hover or focus, such as tooltips, is dismissible, persistent and does not disappear when you move over them after they appear. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| 2.4.5 Multiple Ways (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | Supports | More than one way is available to locate the main pages of the site. For instance, links to the main pages of the site are available on every page through global navigation links. All main pages of the site provide a search form, so users can access content. Compliance of this standard was validated using manual visual checks. |
| 2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Descriptive headings and labels have been used throughout the interface. For instance, on pages that display documents, the page title conveys the [Document title – site name]. The document title is the main heading. Compliance of this standard was validated using WAVE and manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | The site has been implemented to support the default focus indicator for the browser being used. In addition, most link text and other interactive elements have been styled to change in visual appearance when the mouse hovers or tabs over them. For instance, on mouse hover, links are underlined. On tab focus, links are underlined. Form input fields display a teal border on focus. This standard was evaluated using manual visual and keyboard checks. |
| 3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Does not support | In rare cases, the content may include text that is in a different language than the primary language of document. The site is not coded to identify changes to language in the content. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| 3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | Supports | The primary site navigation links appear in the same place and the same order on every page of the site. Compliance of this standard was validated using manual visual checks. |
| 3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | Supports | Care has been taken to identify components with the same functionality consistently throughout the site. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria9.3.3.3 (Web)10.3.3.3 (Non-web document)11.3.3.3 (Open Functionality Software)11.3.3.3 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs) | Supports | Suggestions for error correction are made when applicable. Compliance of this standard was validated using manual visual checks. |
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) 10.4.1.3 (Non-web document) – Does not apply 11.4.1.3 (Open Functionality Software) – Does not apply 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | Care has been taken to ensure that, when notifications appear on the screen, but do not command focus, they are announced to users of assistive software in an appropriate way e.g. applying relevant Aria roles. |

Table 3: Success Criteria, Level AAA

Notes: This Accessibility Conformance Report covers the degree of Level A and Level AA conformance for Web Content Accessibility Guidelines (WCAG) 2.1, as well as Section 508 standards as published in 2017 and corrected in 2018. Tables and other details in this section have been removed.

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|--------------------------|
|----------|-------------------|--------------------------|

| 302.1 Without Vision | Partially Supports | This product is coded to work with screen readers and other assistive technologies. |
|----------------------|--------------------|---|
| | | As of September 2019, scanned PDFs for new image-based archival products include high accuracy, OCR text, tagged and structured according to accessibility guidelines. Non-text content has alternative text describing what is being represented. These PDFs are verified in Acrobat Reader using JAWS. Depending on the combination of PDF viewer, browser and screen reader, there may be differences in the way that this content is presented to the user. |
| | | Exceptions: We cannot guarantee that all images in the content have been given alternative text. Some full text articles are only available as scanned images or scanned PDFs. |
| | | To help mitigate the accessibility issues with scanned images and scanned PDFs, a feature that automatically generate a readable, text version of the content is provided. The feature is available for most (but not all) scanned image or scanned PDF content. The AT notifies the user of the feature and how to use |

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|---|
| | | it. |
| | | Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks. |

| 302.2 With Limited Vision | Partially Supports | This product is coded to work with screen readers and other assistive technologies. In addition, text size can be adjusted through standard browser functionality. As of September 2019, scanned PDFs for new image-based archival products include high accuracy, OCR text, tagged and structured according to accessibility guidelines. Non-text content has alternative text describing what is being represented. These PDFs are verified in Acrobat Reader using JAWS. Depending on the combination of PDF viewer, browser and screen reader, there may be differences in the way that this content is presented to |
|---------------------------|--------------------|--|
| | | the user. Exceptions: We cannot guarantee that all images in the content have been given alternative text. Some full text articles are only available as scanned images or scanned PDFs. To help mitigate the accessibility issues with scanned images and scanned PDFs, a feature that automatically generate a readable, text version of the content is provided. The feature is available for most (but not all) scanned image or scanned PDF content. The AT notifies |

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------|--------------------|---|
| | | the user of the feature and how to use it. |
| | | Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks. |
| 302.3 Without Perception of Color | Partially Supports | Color is used to enhance usability by drawing attention to certain areas of the screen. Color is never the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. If needed, the product's CSS can be overridden using the browser. Exception: We cannot guarantee that all content provided by our publishing partners complies with this standard. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------|--------------------|--|
| 302.4 Without Hearing | Partially Supports | User hearing is not required to search, browse, or use features that are available in the product. In terms of content provided by the ProQuest platform, a small portion is in video format. Transcripts are provided for most video content, but synchronized captions are typically not provided. This standard was evaluated using manual auditory checks. |
| 302.5 With Limited Hearing | Partially Supports | User hearing is not required to search, browse, or use features that are available in the product. In terms of content provided by the ProQuest platform, a small portion is in video format. Transcripts are provided for most video content, but synchronized captions are typically not provided. This standard was evaluated using manual visual checks. |
| 302.6 Without Speech | Supports | User speech is not required to use the product. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------|-------------------|--|
| 302.7 With Limited Manipulation | Supports | All screen elements are designed to be accessible for users with poor motor control (e.g., clickable areas are suitably sized and spaced). Links and form elements can be accessed using the tab key. Note: When viewing books in the Ebook Central database, use Accessibility Mode to navigate the content and access functionality using a keyboard. To enable Accessibility Mode, sign into Bookshelf from the ProQuest Platform and select the option within Account Settings. Compliance of this standard was validated using manual keyboard and visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------|-------------------|--|
| 302.8 With Limited Reach and Strength | Supports | At least one mode of operation that is operable with limited reach and limited strength. |
| | | For example: The product can be used using keyboard-only. All active elements can receive keyboard focus. The focus order of form fields is presented in a logical order. |
| | | Note: When viewing books in the Ebook Central database, use Accessibility Mode to navigate the content and access functionality using a keyboard. To enable Accessibility Mode, sign into Bookshelf from the ProQuest Platform and select the option within Account Settings. |
| | | Compliance of this standard was validated using manual keyboard and visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| 302.9 With Limited Language, Cognitive, and Learning Abilities Suppor | ports | The product provides features that make its use by individuals with limited cognitive, language, and learning abilities simpler and easier. For example: Audio does not automatically play on load, minimizing distractions. Form fields are presented in a standard, consistent way across the product. Form elements are properly labeled. Compliance of this standard was validated using manual visual checks. |

Chapter 5: <u>Software</u>

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|-------------------------------------|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | See WCAG 2.x section | See information in WCAG 2.x section |
| 502 Interoperability with Assistive Technology | Heading cell – no response required | Heading cell – no response required |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 502.2.1 User Control of Accessibility Features | Supports | This product does not interfere with accessibility features that are available through the user's operating system or browser. For example, users can use high contrast mode, text resize, and speech output. Compliance of this standard was validated using manual checks. |
| 502.2.2 No Disruption of Accessibility Features | Supports | This product does not disrupt accessibility features that are defined in the platform documentation as accessibility features. Compliance of this standard was validated through manual checks. |
| 502.3 Accessibility Services | Heading cell – no response required | Heading cell – no response required |
| 502.3.1 Object Information | Supports | Attributes for role, state/s, boundary, name and other properties for all standard and custom user interface controls are programmatically determinable. Compliance of this standard was validated using screen readers (listed above) and developer tools. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 502.3.2 Modification of Object Information | Supports | States and properties that can be set by the user are capable of being set programmatically, including through assistive technology. For example, users are able to change focus and expand and collapse panels using a keyboard only. The state of the object is announced through assistive technology. Compliance of this standard was validated using screen readers (listed above) and keyboard checks. |
| 502.3.3 Row, Column, and Headers | Partially Supports | Data tables are not used as part of the application. As new content is added, data tables may be included with the content. While we encourage our publishing partners to supply properly marked up content, as a practice, we do not generally alter provided content at this level. This standard was evaluated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------------|-------------------|--|
| 502.3.4 Values | Supports | The current values available for a user input control can be programmatically determined. For example, a screen reader will read out the values in a drop- down menu, checkbox options, and radio buttons. Compliance of this standard was validated using screen readers (listed above) and keyboard checks. |
| 502.3.5 Modification of Values | Supports | Values that can be set by the user can be set programmatically, including through assistive technology. Compliance of this standard was validated using screen readers (listed above) and keyboard checks. |
| 502.3.6 Label Relationships | Supports | All forms have been coded with the necessary mark-up (e.g., using labels / ids, fieldsets, etc.) to make them accessible to assistive technologies. Text labels identify all form fields. Label / ids and other accessible code necessary for screen readers are associated with all form elements. Compliance of this standard was validated using WAVE and manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|------------------------------------|-------------------|--|
| 502.3.7 Hierarchical Relationships | Supports | Hierarchical (parent-child) relationships are programmatically determinable. For example, when tabbing to a dropdown, assistive technology will announce how many items it contains. Compliance of this standard was validated using screen readers (listed above) and manual checks. |
| 502.3.8 Text | Supports | Standard HTML code is used for displaying text on the screen used. Text styling is controlled through cascading style sheets. Compliance of this standard was validated using manual visual checks. |
| 502.3.9 Modification of Text | Supports | The product is primarily static text; it does not allow users to set attributes of the text. Users are able to insert text into search fields and forms. This text can be modified using assistive technology. Compliance of this standard was validated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------|-------------------|--|
| 502.3.10 List of Actions | Supports | Where relevant, the product's UI components provide a list of actions programmatically determinable by assistive technologies. For example: When auto-suggest options are available in a search field, the assistive technology will notify the user and make it clear how to access the options. In cases where the content is only available as image-based content, the product provides a feature to generate a text-only version. The AT notified the user of the feature and how to use it. Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks. |
| 502.3.11 Actions on Objects | Supports | This product is coded in a way to allow assistive technologies (AT) to programmatically execute available actions on objects. Compliance of this standard was validated with using screen readers (listed above) and manual keyboard checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------|-------------------|---|
| 502.3.12 Focus Cursor | Supports | The current input focus can be discerned by assistive technology (using standard html code for forms, etc.). |
| | | For most page elements, cursor focus is indicated visually by a gray border. |
| | | This standard was evaluated using manual keyboard and visual checks. |
| 502.3.13 Modification of Focus Cursor | Supports | Users are able to modify the location of focus (for user focusable controls), the text insertion point (caret) when a caret exists, and change selection attributes of objects (when text and items can be selected by the user). |
| | | This standard was evaluated using manual keyboard and visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------|--------------------|---|
| 502.3.14 Event Notification | Partially Supports | This product is coded in a way to notify assistive technologies (AT) of events relevant to user interactions, including but not limited to changes in the component's state(s), value, name, description, or boundary. For example: Users are notified when their search results have been filtered. Users are notified of the state of an expanded or collapsed panel. Exception: In a few cases, events are not communicated to the user. For example, in some cases, error |
| | | messages are not announced to screen reader users. When search results are re- sorted, this event is not communicated to AT. This standard was evaluated using screen |
| | | readers (listed above). |

| 502.4 Platform Accessibility Features | Partially Supports | The product does not interfere with system features to: Enable sequential entry of multiple (chorded) keystrokes (Section 9.3.3) Provide adjustment of delay before key acceptance (Section 9.3.4) Provide adjustment of same-key double-strike acceptance (Section 9.3.5) Provide screen reader support. In addition, a text-to-speech feature is available on document pages. It is an optional feature that can be enabled in the customer's account. (Section 10.6.9) |
|---------------------------------------|--------------------|---|
| | | When available, image captions are displayed. (Section 10.7.1) However: Captions are typically not provided for video content in this product. (Section 10.6.7) Synchronized audio equivalents are typically not provided for video content (Section 10.6.8) This standard was evaluated using screen readers (listed above), manual keyboard checks, and manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|--|
| 503 Applications | Heading cell – no response required | Heading cell – no response required |
| 503.2 User Preferences | Supports | The CSS style sheet can be overridden in the product using the browser settings. Compliance of this standard was validated using manual visual checks. |
| 503.3 Alternative User Interfaces | Not applicable | This product does not provide alternative user interfaces that function as assistive technology. |
| 503.4 User Controls for Captions and Audio Description | Heading cell – no response required | Heading cell – no response required |
| 503.4.1 Caption Controls | Partially Supports | Wherever video content contains closed captions, caption controls are provided. Video content is presented within the page using JWPlayer. Exception: For some video content, captions are not available; therefore, no caption controls are provided. This standard was evaluated using manual visual checks. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 503.4.2 Audio Description Controls | Does Not Support | Video content is presented within the page using JWPlayer. Volume controls are available. |
| | | However, audio descriptions controls are not provided for video content. |
| | | This standard was evaluated using manual visual checks. |
| 504 Authoring Tools | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing (if not authoring tool, enter "not applicable") | See <u>WCAG 2.x</u> section | See information in WCAG 2.x section |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | Not Applicable |
| 504.2.2 PDF Export | Not Applicable | Not Applicable |
| 504.3 Prompts | Not Applicable | Not Applicable |
| 504.4 Templates | Not Applicable | Not Applicable |

Chapter 6: <u>Support Documentation and Services</u>

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|--|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |
| 602 Support Documentation | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Supports | An Accessibility help page is available in the Help section, which can be accessed from all pages of the ProQuest Academic platform. This help page includes useful information on: • Navigation • Using the Tab key • Skip navigation • Changing text size and color An Accessibility page is also provided, which includes links to accessibility compliance statements. |
| 602.3 Electronic Support Documentation | Supports | Support documentation is available in HTML format through the product's help documentation and the ProQuest Support Center. The content of the support documentation can be accessed with assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Supports | Product support documentation is provided online through the product's help system and through the Support Center area of the ProQuest's corporate site. This documentation can be accessed online or printed. End-users can also contact customer support (by phone, email, chat, or through the Contact Us web form) to request any further help. If alternative formats of product support documentation are required, we will do our best to accommodate the requested format, at no additional charge. These formats may include ASCII text, large print, and accessible electronic formats. |
| 603 Support Services | Heading cell – no response required | Heading cell – no response required |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 603.2 Information on Accessibility and Compatibility Features | Supports | An Accessibility help page is available in the Help section, which can be accessed from all pages of the ProQuest Academic platform. This help page includes useful information on: • Navigation • Using the Tab key • Skip navigation • Changing text size and color An Accessibility page is also provided, which includes links to accessibility compliance statements. |
| 603.3 Accommodation of Communication Needs | Supports | Support services are available to accommodate the communication needs of end users with disabilities. Users can communicate with customer support via: • Phone • Email • Chat • Contact Us web form Support services have experience working with end users with disabilities. |

Legal Disclaimer (ProQuest)

This Accessibility Conformance Report represents the specific release of the product described, as of the date of this document. Notwithstanding the information contained in the Accessibility Conformance Report, if use of the product is subject to a license agreement, the terms and conditions of the product's license agreement remain in full force and effect, including any limitation of liability and disclaimer of warranties provisions.