## **Accessibility Statement**

Success Criterion	Description	Substantial Conformance	
(Level)		(yes / no / n/a)	
1.1.1 (A)	<ul> <li>Non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below:</li> <li>Controls, Input: If non-text content is a control or accepts user input, then it has a name that describes its purpose. (Refer to Guideline 4.1 for additional requirements for controls and content that accepts user input.)</li> <li>Time-Based Media: If non-text content is time-based media, then text alternatives at least provide descriptive identification of the non-text content. (Refer to Guideline 1.2 for the additional requirements for media.)</li> <li>Test: If non-text content is a test or exercise that would be invalid if presented in text, then text alternatives at least provide descriptive identification of the non-text content.</li> <li>Sensory: If non-text content is primarily intended to create a specific sensory experience, then text alternatives at least provide descriptive identification of the non-text content.</li> <li>CAPTCHA: If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided, and alternative forms of CAPTCHA using output modes for different types of sensory perception are provided to accommodate different disabilities.</li> <li>Decorative, Formatting, Invisible: If non-text content is pure decoration, is used only for visual formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive technology.</li> </ul>	Yes	
1.2.1 (A)	For prerecorded audio-only and prerecorded video- only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such:	Yes	
	Prerecorded Audio-only: An alternative for time- based media is provided that presents equivalent		

	<ul><li>information for prerecorded audio-only content.</li><li>Prerecorded Video-only: Either an alternative for</li></ul>	
	time-based media or an audio track is provided	
	that presents equivalent information for	
	prerecorded video-only content.	
1.2.2	Captions are provided for all prerecorded audio	Yes
(A)	content in synchronized media, except when the media	
	is a media alternative for text and is clearly labeled as	
	such.	
1.2.3	An alternative for time-based media or audio	Yes
<b>(A)</b>	description of the prerecorded video content is	
` ,	provided for synchronized media, except when the	
	media is a media alternative for text and is clearly	
	labeled as such.	
1.2.4	Captions are provided for all live audio content in	Yes
(AA)	synchronized media.	
1.2.5	Audio description is provided for all prerecorded	Yes
(AA)	video content in synchronized media.	
1.3.1	Information, structure, and relationships conveyed	Yes
(A)	through presentation can be programmatically	
	determined or are available in text.	
1.3.2	When the sequence in which content is presented	Yes
(A)	affects its meaning, a correct reading sequence can be	
	programmatically determined.	
1.3.3	Instructions provided for understanding and operating	Yes
(A)	content do not rely solely on sensory characteristics of	
	components such as shape, size, visual location,	
1 4 1	orientation, or sound.	***
1.4.1	Color is not used as the only visual means of	Yes
(A)	conveying information, indicating an action,	
	prompting a response, or distinguishing a visual	
1.4.2	element.	Yes
	If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available	res
(A)	to pause or stop the audio, or a mechanism is available	
	to control audio volume independently from the	
	overall system volume level.	
1.4.3	The visual presentation of text and images of text has	Yes*
1.4.3 (AA)	a contrast ratio of at least 4.5:1, except for the	1 65
	following:	
	<ul> <li>Large Text: Large-scale text and images of large-</li> </ul>	
	scale text have a contrast ratio of at least 3:1;	
	•	
	• Incidental: Text or images of text that are part of	
	an inactive user interface component, that are pure decoration, that are not visible to anyone, or that	
	are part of a picture that contains significant other	*Tl- 1
	are part of a picture that contains significant other	*The degree of conformance

	visual content, have no contrast requirement.	with this Success Criterion is
	Logotypes: Text that is part of a logo or brand	dependent upon the color
	name has no minimum contrast requirement.	scheme(s) required by Library.
1.4.4	Except for captions and images of text, text can be	Yes
(AA)	resized without assistive technology up to 200 percent	
(1212)	without loss of content or functionality.	
1.4.5	If the technologies being used can achieve the visual	Yes
(AA)	presentation, text is used to convey information rather	
( )	than images of text except for the following:	
	• Customizable: The image of text can be visually	
	customized to the user's requirements;	
	• Essential: A particular presentation of text is	
	essential to the information being conveyed.	
2.1.1	All functionality of the content is operable through a	Yes
(A)	keyboard interface without requiring specific timings	
. ,	for individual keystrokes, except where the underlying	
	function requires input that depends on the path of the	
	user's movement and not just the endpoints.	
2.1.2	If keyboard focus can be moved to a component of the	Yes
<b>(A)</b>	page using a keyboard interface, then focus can be	
	moved away from that component using only a	
	keyboard interface, and, if it requires more than	
	unmodified arrow or tab keys or other standard exit	
	methods, the user is advised of the method for moving	
	focus away.	
2.2.1	Timing Adjustable: For each time limit that is set by	Yes
<b>(A)</b>	the content, at least one of the following is true:	
	• Turn off: The user is allowed to turn off the time	
	limit before encountering it; or	
	• Adjust: The user is allowed to adjust the time limit	
	before encountering it over a wide range that is at	
	least ten times the length of the default setting; or	
	• Extend: The user is warned before time expires	
	and given at least 20 seconds to extend the time	
	limit with a simple action (for example, "press the	
	space bar"), and the user is allowed to extend the	
	time limit at least ten times; or	
	• Real-time Exception: The time limit is a required	
	part of a real-time event (for example, an auction),	
	and no alternative to the time limit is possible; or	
	• Essential Exception: The time limit is essential and	
	extending it would invalidate the activity; or	
	• 20 Hour Exception: The time limit is longer than	
	20 hours.	
2.2.2	For moving, blinking, scrolling, or auto-updating	Yes
<b>(A)</b>	information, all of the following are true:	

	<ul> <li>Moving, blinking, scrolling: For any moving,</li> </ul>				
	blinking or scrolling information that (1) starts				
	automatically, (2) lasts more than five seconds,				
	and (3) is presented in parallel with other content,				
	there is a mechanism for the user to pause, stop, or				
	hide it unless the movement, blinking, or scrolling				
	is part of an activity where it is essential; and				
	Auto-updating: For any auto-updating information				
	that (1) starts automatically and (2) is presented in				
	parallel with other content, there is a mechanism				
	for the user to pause, stop, or hide it or to control				
	the frequency of the update unless the auto-				
	updating is part of an activity where it is essential.				
2.3.1	Web pages do not contain anything that flashes more	Yes			
	1 0	1 52			
(A)	than three times in any one second period, or the flash				
2 4 1	is below the general flash and red flash thresholds.	Vac			
2.4.1	A mechanism is available to bypass blocks of content	Yes			
(A)	that are repeated on multiple Web pages.	<b>V</b>			
2.4.2	Web pages have titles that describe topic or purpose.	Yes			
(A)	X0 XX 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
2.4.3	If a Web page can be navigated sequentially and the	Yes			
(A)	navigation sequences affect meaning or operation,				
	focusable components receive focus in an order that				
	preserves meaning and operability.				
2.4.4	The purpose of each link can be determined from the	Yes			
(A)	link text alone or from the link text together with its				
	programmatically determined link context, except				
	where the purpose of the link would be ambiguous to				
	users in general.				
2.4.5	More than one way is available to locate a Web page	Yes			
(AA)	within a set of Web pages except where the Web Page				
	is the result of, or a step in, a process.				
2.4.6	Headings and labels describe topic or purpose.	Yes			
(AA)					
2.4.7	Any keyboard operable user interface has a mode of	Yes			
(AA)	operation where the keyboard focus indicator is				
	visible.				
3.1.1	The default human language of each Web page can be	Yes			
(A)	programmatically determined.				
3.1.2	The human language of each passage or phrase in the	Yes			
(AA)	content can be programmatically determined except				
	for proper names, technical terms, words of				
	indeterminate language, and words or phrases that				
	have become part of the vernacular of the immediately				
	surrounding text.				
3.2.1	When any component receives focus, it does not	Yes			
	J 1				

3.2.2 Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.  3.2.3 Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.  3.2.4 Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3. If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, pr	(4)		
(A) does not automatically cause a change of context unless the user has been advised of the behavior before using the component.  3.2.3 Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.  3.2.4 Components that have the same functionality within a yes est of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions for correction are known, then the suggestions are provided to the user; unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	(A)	initiate a change of context.	
unless the user has been advised of the behavior before using the component.  3.2.3  3.2.3  Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.  3.2.4  Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1  If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2  Labels or instructions are provided when content requires user input.  3.3.3  If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1  In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2  For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			Yes
before using the component.  3.2.3 Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.  3.2.4 Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	(A)	· · · · · · · · · · · · · · · · · · ·	
3.2.3 Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.  3.2.4 Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
(AA) multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.  3.2.4 Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		before using the component.	
in the same relative order each time they are repeated, unless a change is initiated by the user.  3.2.4 Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	3.2.3	Navigational mechanisms that are repeated on	Yes
unless a change is initiated by the user.  3.2.4 Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would icopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	(AA)	multiple Web pages within a set of Web pages occur	
3.2.4 Components that have the same functionality within a set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		in the same relative order each time they are repeated,	
(AA) set of Web pages are identified consistently.  3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		unless a change is initiated by the user.	
3.3.1 If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	3.2.4	Components that have the same functionality within a	Yes
(A) that is in error is identified and the error is described to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	(AA)	set of Web pages are identified consistently.	
to the user in text.  3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	3.3.1	If an input error is automatically detected, the item	Yes
3.3.2 Labels or instructions are provided when content requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible. • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, clements are nested according to their specifications, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	(A)	that is in error is identified and the error is described	
(A) requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		to the user in text.	
(A) requires user input.  3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	3.3.2	Labels or instructions are provided when content	Yes
3.3.3 If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	(A)		
suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		If an input error is automatically detected and	Yes
suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
jeopardize the security or purpose of the content.  3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
<ul> <li>3.3.4 For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true: <ul> <li>Reversible: Submissions are reversible.</li> <li>Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li> <li>Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> </ul> </li> <li>4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</li> <li>4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and</li> </ul>		1	
financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	3.3.4		Yes
or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	()		
of the following is true:  Reversible: Submissions are reversible.  Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  Children Provided In the following but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		_	
<ul> <li>Reversible: Submissions are reversible.</li> <li>Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li> <li>Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> <li>In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</li> <li>For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and</li> </ul>		= = = = = = = = = = = = = = = = = = =	
<ul> <li>Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li> <li>Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> <li>In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</li> <li>For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and</li> </ul>			
input errors and the user is provided an opportunity to correct them.  Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  In content implemented using markup languages, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
opportunity to correct them.  Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		•	
<ul> <li>Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> <li>4.1.1 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</li> <li>4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and</li> </ul>		=	
reviewing, confirming, and correcting information before finalizing the submission.  4.1.1 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
before finalizing the submission.  4.1.1 In content implemented using markup languages, (A) elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not I limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
<ul> <li>4.1.1 In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</li> <li>4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and</li> </ul>			
<ul> <li>(A) elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</li> <li>4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and</li> </ul>	411		<b>V</b>
are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			Y es
do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	(A)	1	
unique, except where the specifications allow these features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		1	
features.  4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and		=	
4.1.2 For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and			
(A) limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and	412		<b>T</b> 7
generated by scripts), the name and role can be programmatically determined; states, properties, and			Yes
programmatically determined; states, properties, and	(A)		
values that can be set by the user can be			
programmatically set; and notification of changes to		=	
these items is available to user agents, including		_	
assistive technologies.		assistive technologies.	