



EBSCO Flipster iOS Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: Flipster iOS application

Report Date: May 2025

Product Description: Flipster is the ultimate digital magazine subscription platform for libraries.

Contact Information: accessibility@ebSCO.com

Notes: The Flipster team is currently working on remediation and will refresh this ACR after secondary validation by Deque in Q4 of 2025

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed between April 14 and April 23, 2025.

Evaluation Methods Used:

Conformance to the listed accessibility standards has been evaluated using manual testing with assistive technologies. The following operating system, device and screen reader/ speech input software were used for evaluation: iOS, iPhone and VoiceOver / Voice Control.

Scope of Evaluation

The pages in the following table were evaluated as part of the assessment on which this report is based.

Sr. No.	Page/Screen Name
---------	------------------

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

1.	Bookmarks
2.	Create a Bookmark
3.	Details
4.	Explore - Categories
5.	My Shelf
6.	Read
7.	Text of Speech

In addition to the pages listed above, the following components that appear on multiple pages were tested as part of the assessment:

- Bottom TabBar.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Does Not Support	Web: Most non-text content do not have text alternatives or a text alternate that serves an equivalent purpose. • An image has a text alternative that is different than what the image represents, so people who are blind and/or use a screen reader will be given different information than sighted users. This occurs on the following page(s): Text of Speech; Details. • Text alternative for the informative image is missing. This occurs on the following page(s): Details. • Text alternative does not include essential text in the active image. This occurs on the following page(s): Explore - Categories; My Shelf. • Text alternative does not include essential text in the informative image. This occurs on the following page(s): Read.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: Prerecorded audio-only files are not present.
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: Prerecorded videos are not present.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: Prerecorded videos are not present, so audio description is not required.
<u>1.3.1 Info and Relationships</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Does Not Support	Web: Most information, structure, and relationships conveyed through presentation cannot be programmatically determined or are available in text. • A heading level is out of order, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: Read. • Text that visually functions as a heading is not marked up as a heading, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following pages: Explore - Categories; Bookmarks; Read; Create a Bookmark; Details.

Criteria	Conformance Level	Remarks and Explanations
<u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Does Not Support	Web: The reading and navigation order of most content is not logical and intuitive. • When a modal is closed, screen reader focus is not returned to the control that opened the modal or to another logical location, making navigation difficult for people who are blind and/or use a screen reader. This occurs on the following pages: Explore - Categories; Read; Create a Bookmark; Text of Speech; My Shelf. • The screen reader announcement of static text does not match the visual text displayed, so the intended meaning of the text will be lost or changed for people who are blind and/or use a screen reader. This occurs on the following page: Explore - Categories.
<u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.

Criteria	Conformance Level	Remarks and Explanations
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Partially Supports	Web: For most content, color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements. The following exception exists: • Color is used as the only method to convey the state (such as "checked," "pressed," or "selected") of a control, so that information will not be available to people who are colorblind and people who are blind and/or use a screen reader. This occurs on the following page: Bottom TabBar.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays for more than 3 seconds.

Criteria	Conformance Level	Remarks and Explanations
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Partially Supports	Web: On most pages, all functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and accesskeys present, some may conflict with existing browser and screen reader shortcuts, and some functionality based on custom gestures may not be available when a screen reader is turned on. The following exception exists: • An action cannot be performed when using a screen reader, so people who are blind and others who use a screen reader cannot perform this action. This occurs on the following page: Read.
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.

Criteria	Conformance Level	Remarks and Explanations
<u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.
<u>2.2.1 Timing Adjustable</u> (Level A) Also applies to: EN 301 549 Criteria • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.

Criteria	Conformance Level	Remarks and Explanations
<u>2.2.2 Pause, Stop, Hide</u> (Level A) Also applies to: EN 301 549 Criteria • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Partially Supports	Web: On most pages where moving, blinking, scrolling, or auto-updating information is present, that information can be paused, stopped, hidden, or otherwise controlled by the user. The following exception exists: • The user cannot pause, stop, or hide content that automatically moves, blinks, or scrolls, so people who cannot read text quickly, have attention deficit disorders or other cognitive disabilities, or use a screen reader may not be able to read or understand the content. This occurs on the following page: Text of Speech.
<u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to: EN 301 549 Criteria • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: The tested application does not contain flashing content.

Criteria	Conformance Level	Remarks and Explanations
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: Pages have descriptive and informative titles.

Criteria	Conformance Level	Remarks and Explanations
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: The navigation order of interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.

Criteria	Conformance Level	Remarks and Explanations
<u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: All functionality that can be operated with a pointer can be operated with single-point actions.
<u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: For functionality that can be operated using a single pointer, at least one of the following is true: • The action is not triggered on the down event. • The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion. • The up-event reverses any outcome of the preceding down-event. • Completing the function on the down-event is essential.

Criteria	Conformance Level	Remarks and Explanations
2.5.3 Label in Name (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Partially Supports	Web: For most user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label. The following exceptions exist: • The accessible name of an interactive element (such as a link, button, or form input) does not contain the visible label, so people who use speech input to navigate and operate content will not be able to access the element. This occurs on the following pages: Explore - Categories; Read. • An interactive element (such as a link, button, or form input) does not have an accessible name because its visible label is not programmatically associated with the element, so people who use speech input to navigate and operate content will not be able to access the element. This occurs on the following page: Create a Bookmark.
2.5.4 Motion Actuation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.

Criteria	Conformance Level	Remarks and Explanations
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: The language of each page is correct and can be determined programmatically.
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.

Criteria	Conformance Level	Remarks and Explanations
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: On web pages that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.

Criteria	Conformance Level	Remarks and Explanations
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Partially Supports	Web: For most form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected. The following exception exists: The label of an element is not persistent (always visible on the page), so the element's purpose may be difficult to discover. This occurs on the following page: Create a Bookmark.
3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: If information previously entered by, or provided to, the user is required to be entered again in the same process, that information is either automatically populated or available for the user to select unless the previously entered information is no longer valid or re-entering the information is essential or required to ensure security.
4.1.1 Parsing (Level A) Also applies to: WCAG 2.0 and 2.1 – Always answer “Supports” WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.

Criteria	Conformance Level	Remarks and Explanations
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Does Not Support	Web: The name, role, state, and value of most user interface components cannot be programmatically determined. • A button does not have a programmatic role, so its role (usually button, but sometimes link or something else) is not conveyed to screen readers and other assistive technologies and will not be available to people who use those technologies. This occurs on the following pages: Explore - Categories; Read; Create a Bookmark. • Some informative static text is assigned an interactive role that is announced by a screen reader, so people who are blind and/or use a screen reader may be confused. This occurs on the following pages: Explore - Categories. • The expand/collapse state of a toggle-type element is missing or is used incorrectly. This occurs on the following page: Read. • A form control (such as a text input field or checkbox) is not programmatically associated with its visible label, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose of the form control or what input it requires. This occurs on the following page: Create a Bookmark. • Informative text (static text) is implemented with a state. This occurs on the following page: Details. • A control has an incorrect programmatic state, so the control's state (like "checked"/"unchecked" or "expanded"/"collapsed") conveyed to screen readers and other assistive technologies is incorrect and misrepresents the control's state and functionality to people who use those

Criteria	Conformance Level	Remarks and Explanations
		technologies. This occurs on the following page: Text of Speech.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: Live multimedia files with audio are not present, so synchronized captions are not required.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.5 Audio Description (Prerecorded)</u> (Level AA) Also applies to: EN 301 549 Criteria • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: Prerecorded multimedia files are not present, so audio descriptions are not required.
<u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports	Web: Orientation of the content is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.
<u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.

Criteria	Conformance Level	Remarks and Explanations
<u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Does Not Support	Web: Most text and images of regular text do not have the required color contrast ratio with their backgrounds. • The color contrast ratio between placeholder text in an input and the input's background is less than 4.5:1, so people who are colorblind or have low vision may have difficulty reading the placeholder text. This occurs on the following pages: Explore - Categories; Create a Bookmark. • The color contrast ratio between text and its background is less than 4.5:1, so people who are colorblind or have low vision may have difficulty reading the text. This occurs on the following pages: Explore - Categories; Bookmarks; Read; Create a Bookmark; Text of Speech; My Shelf; Bottom TabBar; Details.
<u>1.4.4 Resize text</u> (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.

Criteria	Conformance Level	Remarks and Explanations
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: When content can be presented visually using only text, an image of text is not used to present that text.
1.4.10 Reflow (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.

Criteria	Conformance Level	Remarks and Explanations
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Partially Supports	Web: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background. The following exceptions exist: • The visual boundary of an interactive element (like a radio button or input field) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving the boundaries of the interactive element. This occurs on the following pages: Explore - Categories; Create a Bookmark. • An icon (or part of the icon required to understand its content) does not have a 3:1 color contrast ratio with the background or adjacent colors, so people who are colorblind or have low vision may not be able understand the information presented by the icon. This occurs on the following page: Explore - Categories.
1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.

Criteria	Conformance Level	Remarks and Explanations
<u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.
<u>2.4.5 Multiple Ways</u> (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.

Criteria	Conformance Level	Remarks and Explanations
<u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Does Not Support	Web: Most headings and labels for form and interactive controls are not informative. • A programmatic label for a control or form input field does not convey the purpose of the control or input, so people who are blind and/or use a screen reader may not understand what the control does or what data to enter. This occurs on the following pages: Explore - Categories; Read; Create a Bookmark; Text of Speech. • Multiple buttons have identical programmatic labels but different functionality, and there is no programmatic context, so people who are blind and/or use a screen reader will not know or may be confused or misled about what each button does. This occurs on the following pages: Explore - Categories; Bookmarks; My Shelf; Details.
<u>2.4.7 Focus Visible</u> (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable	Web: This success criterion does not apply technically to an iOS native application.
<u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.

Criteria	Conformance Level	Remarks and Explanations
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: All functionality that uses a dragging movement can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: The size of the target for each clickable control is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports	Web: The language of each section of content that is different from the default language of the page is correctly identified and can be determined programmatically.

Criteria	Conformance Level	Remarks and Explanations
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports	Web: Navigation patterns that are repeated on web pages are presented in the same relative order each time they appear and do not change order when navigating through the site.
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports	Web: Labels, names, and text alternatives for content that have the same functionality across multiple web pages are consistently identified.

Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.

Criteria	Conformance Level	Remarks and Explanations
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Partially Supports	Web: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exception exists: A status message is not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status message or they may not hear it in a timely fashion. This occurs on the following pages: Explore - Categories; Text of Speech.

Table 3: Success Criteria, Level AAA

Notes: Not Applicable. The EBSCO Native Mobile iOS application was not assessed for WCAG 2.1 Level AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Web: Partially Supports	Web: Most functionality is usable without vision. Exceptions are noted in: • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value
302.2 With Limited Vision	Web: Partially Supports	Web: Most functionality is usable with limited vision. Exceptions are noted in: • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 1.4.3 Contrast (minimum) • 2.1.1 Keyboard • 2.4.6 Headings and Labels • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value
302.3 Without Perception of Color	Web: Partially Supports	Web: Most functionality is usable without perception of color. Exceptions are noted in: • 1.4.1 Use of Color • 1.4.3 Contrast (minimum)
302.4 Without Hearing	Web: Partially Supports	Web: Most functionality is usable without hearing. Exceptions are noted in: • 1.1.1 Non-Text Content

Criteria	Conformance Level	Remarks and Explanations
302.5 With Limited Hearing	Web: Partially Supports	Web: Most functionality is usable with limited hearing. Exceptions are noted in: • 1.1.1 Non-Text Content
302.6 Without Speech	Web: Not Applicable	Web: The product does not require the use of speech.
302.7 With Limited Manipulation	Web: Partially Supports	Web: Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in: • 2.1.1 Keyboard • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value
302.8 With Limited Reach and Strength	Web: Supports	Web: All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Web: Partially Supports	Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.2.2 Pause, Stop, Hide • 2.4.6 Headings and Labels • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value

Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Web: Supports	Web: When using the application, the user consistently has control over all browser and operating system accessibility features.
502.2.2 No Disruption of Accessibility Features	Web: Supports	Web: The website or application does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Web: Partially Supports	Web: The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology. Exceptions are noted in: • 4.1.2.a Name, Role, Value
502.3.2 Modification of Object Information	Web: Partially Supports	Web: For most objects that allow the user to set their respective properties and/or state, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions are noted in: • 4.1.2.a Name, Role, Value

Criteria	Conformance Level	Remarks and Explanations
502.3.3 Row, Column, and Headers	Web: Supports	Web: When a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.
502.3.4 Values	Web: Partially Supports	Web: For most objects that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology. Exception includes: 4.1.2.a Name, Role, Value
502.3.5 Modification of Values	Web: Partially Supports	Web: For most objects that allow the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology. Exception includes: 4.1.2.a Name, Role, Value
502.3.6 Label Relationships	Web: Partially Supports	Web: For most elements that act as a label for another element and elements that are labeled by another element, the labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. Exceptions are noted in: 4.1.2.a Name, Role, Value
502.3.7 Hierarchical Relationships	Web: Partially Supports	Web: For most elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology. Exceptions are noted in: 1.3.1.e Headings

Criteria	Conformance Level	Remarks and Explanations
502.3.8 Text	Web: Supports	All text, text attributes (such as whether text is static or editable), and text boundaries (such as text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.
502.3.9 Modification of Text	Web: Supports	When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.10 List of Actions	Web: Supports	When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.
502.3.11 Actions on Objects	Web: Partially Supports	Web: For most of the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology. Exception includes: 2.1.1.a Keyboard Navigation
502.3.12 Focus Cursor	Web: Supports	
502.3.13 Modification of Focus Cursor	Web: Supports	When the focus indicator, text insertion point, and/or text selector indicator can be modified, the modifications are programmatically determinable, so they can be performed by assistive technology.
502.3.14 Event Notification	Web: Partially Supports	Web: In most cases, status messages relevant to user interactions are available to, and presented by, assistive technology. Exceptions are noted in: 4.1.3.a Status Messages
502.4 Platform Accessibility Features		

Criteria	Conformance Level	Remarks and Explanations
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Web: Supports	The application allows users to set or modify color, contrast, font type and size, and focus cursor.
503.3 Alternative User Interfaces	Web: Not Applicable	The application does not offer an alternative user interface.
<u>503.4 User Controls for Captions and Audio Description</u>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Web: Not Applicable	The application does not contain media with an audio component that has closed captions.
503.4.2 Audio Description Controls	Web: Not Applicable	The website or application does not contain media with a video component that offers audio description.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.2 section	See information in WCAG 2.2 section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Web: Not Applicable	The product is not an authoring tool.
504.2.2 PDF Export	Web: Not Applicable	The product is not an authoring tool.
504.3 Prompts	Web: Not Applicable	The product is not an authoring tool.
504.4 Templates	Web: Not Applicable	The product is not an authoring tool.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	Documentation is provided for the application that includes information on its accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
602.3 Electronic Support Documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Documentation for the application is provided in non-electronic formats, but alternative accessible formats are available, so the documentation and the information it contains are accessible to people with disabilities.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Support services provide information on the application's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
603.3 Accommodation of Communication Needs	Supports	Support services provide information on the application's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.

EN 301 549 Report

Notes:

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Web: Partially Supports	Web: Most functionality is usable without vision. Exceptions are noted in: • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value • 4.1.3 Status Messages
4.2.2 Usage with limited vision	Web: Partially Supports	Web: Most functionality is usable with limited vision. Exceptions are noted in: • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 1.4.3 Contrast (minimum) • 1.4.11 Non-Text Contrast • 2.1.1 Keyboard • 2.4.6 Headings and Labels • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value
4.2.3 Usage without perception of colour	Web: Partially Supports	Web: Most functionality is usable without perception of color. Exceptions are noted in: • 1.4.1 Use of Color • 1.4.3 Contrast (minimum) • 1.4.11 Non-Text Contrast

Criteria	Conformance Level	Remarks and Explanations
4.2.4 Usage without hearing	Web: Partially Supports	Web: Most functionality is usable without hearing. Exceptions are noted in: 1.1.1 Non-Text Content
4.2.5 Usage with limited hearing	Web: Partially Supports	Web: Most functionality is usable with limited hearing. Exceptions are noted in: 1.1.1 Non-Text Content
4.2.6 Usage with no or limited vocal capability	Web: Not Applicable	Web: The product does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Web: Partially Supports	Web: Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in: 2.1.1 Keyboard 2.4.6 Headings and Labels 2.5.3 Label in Name 4.1.2 Name, Role, Value
4.2.8 Usage with limited reach	Web: Partially Supports	Web: Most functionality is usable by people with limited reach. Exceptions are noted in: 1.3.5 Identify Input Purpose 1.4.13 Content on Hover or Focus 2.5.3 Label in Name
4.2.9 Minimize photosensitive seizure triggers	Web: Supports	Web: All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.

Criteria	Conformance Level	Remarks and Explanations
4.2.10 Usage with limited cognition, language or learning	Web: Partially Supports	Web: Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.2.2 Pause, Stop, Hide • 2.4.6 Headings and Labels • 2.5.3 Label in Name • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value • 4.1.3 Status Messages
4.2.11 Privacy	Web: Supports	Where the product provides features for accessibility, it maintains the privacy of people who use these features at the same level as other users.

Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.3.1 Audio output of visual information	Not Applicable	The application does not have closed functionality and allows the use of an outside or add-on screen reader to provide audio output of visual information.
5.1.3.2 Auditory output delivery including speech	Not Applicable	The application does not have closed functionality and allows auditory output (including speech) to be conveyed by outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.3 Auditory output correlation	Not Applicable	The application does not have closed functionality, so audio information is conveyed using outside or add-on software and/or hardware.
5.1.3.4 Speech output user control	Not Applicable	The application does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.5 Speech output automatic interruption	Not Applicable	The application does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.6 Speech output for non-text content	Not Applicable	The application does not have closed functionality and allows auditory output (including the announcement of text alternatives for images) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.7 Speech output for video information	Not Applicable	The application does not have closed functionality, and pre-recorded video content is not needed to enable the use of closed functions. Also, the product allows auditory output (including audio description of visual information in a video) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.8 Masked entry	Not Applicable	The application does not have closed functionality, so any auditory output of masked characters is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.9 Private access to personal data	Not Applicable	The application does not have closed functionality, so any auditory output of information considered to be private is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.10 Non-interfering audio output	Not Applicable	The application does not have closed functionality, so the initiation of any auditory output that may interfere with other audio is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.11 Private listening volume	Not Applicable	The application does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.12 Speaker volume	Not Applicable	The application does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.13 Volume reset	Not Applicable	The application does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.14 Spoken languages	Not Applicable	The application does not have closed functionality, so the assignment of a particular language to speech output is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.15 Non-visual error identification	Not Applicable	The application does not have closed functionality, so speech output to identify and/or describe an error is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	The application does not have closed functionality, so speech output to provide information necessary to complete or verify a transaction is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.4 Functionality closed to text enlargement	Not Applicable	The application does not have closed functionality, and all text and images of text can be enlarged by the operating system or browser.

Criteria	Conformance Level	Remarks and Explanations
5.1.5 Visual output for auditory information	Not Applicable	The application does not have closed functionality, and auditory information is not needed to enable the use of closed functions.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	The application is not closed to keyboards or keyboard interfaces.
5.1.7 Access without speech	Not Applicable	The application does not require speech to enable the use of any functionality.
5.2 Activation of accessibility features	Supports	Each of the application's documented accessibility feature that meets a specific need can be activated without relying on any motor or sensory input related to that need.
5.3 Biometrics	Not Applicable	The application does not use biological characteristics for identification or to control any functionality.
5.4 Preservation of accessibility information during conversion	Not Applicable	The application does not have functionality that converts information or communication from one format to another.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	The product is a native application and has no physical parts.
5.5.2 Operable parts discernibility	Not Applicable	The product is a native application and has no physical parts.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	The product is a native application and has no physical locking or toggle controls.
5.6.2 Visual status	Not Applicable	The product is a native application and has no physical locking or toggle controls.
5.7 Key repeat	Not Applicable	The product is a native application and has no physical keyboard or keypad, so it has no key repeat function.

Criteria	Conformance Level	Remarks and Explanations
5.8 Double-strike key acceptance	Not Applicable	The product is a native application and has no physical keyboard or keypad, so it has no functionality related to accepting identical keystrokes that occur within a specific timeframe.
5.9 Simultaneous user actions	Not Applicable	The product has no functionality requiring simultaneous actions (such as having to press multiple keys at the same time) with no alternative.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: The ICT covered by this report does have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

Chapter [7: ICT with Video Capabilities](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Not Applicable	The application does not contain video that has synchronized audio.
7.1.2 Captioning synchronization	Not Applicable	The application does not contain video that has synchronized audio.
7.1.3 Preservation of captioning	Not Applicable	The application does not contain video that has synchronized audio.
7.1.4 Captions characteristics	Not Applicable	The application does not contain video that has synchronized audio.
7.1.5 Spoken subtitles	Not Applicable	The application does not contain video that has synchronized audio.
7.2.1 Audio description playback	Not Applicable	The application does not contain video that has synchronized audio.
7.2.2 Audio description synchronization	Not Applicable	The application does not contain video that has synchronized audio.

Criteria	Conformance Level	Remarks and Explanations
7.2.3 Preservation of audio description	Not Applicable	The application does not transmit, convert, or record video that has synchronized audio.
7.3 User controls for captions and audio description	Not Applicable	The application does not contain media with an audio component that has closed captions or media with a video component that has audio description.

Chapter [8: Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Notes: The ICT covered by this report is a web application. As such, its accessibility requirements are covered in the [WCAG 2.2](#) section.

Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	Any standalone documents that may be downloaded from the application do not contain video that has synchronized audio.
10.6 Audio description timing	Not Applicable	Any standalone documents that may be downloaded from the application do not contain video that has synchronized audio.

Chapter [11: Software](#)

Notes: The ICT covered by this report is a web application, and it is not an authoring tool. As such, its accessibility requirements are covered in Chapter 9 and by reference the [WCAG 2.2](#) section. Thus, the requirements of this chapter do not apply.

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	Documentation is provided for the website or application that includes information on its accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
12.1.2 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Support services provide information on the application's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
12.2.3 Effective communication	Supports	Support services for the application provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.
12.2.4 Accessible documentation	See WCAG 2.2 section	See information in WCAG 2.2 section

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: The ICT covered by this report does have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

Legal Disclaimer (EBSCO Information Services) © 2025.

EBSCO Publishing, Inc. ("EBSCO"). All rights reserved. All product and company names herein may be trademarks of their respective owners. The information and content in this document is provided for informational purposes only and is delivered "as is" without warranties of any kind, expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose, and noninfringement.

EBSCO disclaims and in no event shall be liable for any losses or damages of any kind, including any consequential damages that may result from the use of this document. Though reasonable effort has been made to ensure the accuracy of the data provided, EBSCO makes no warranty for the completeness, accuracy, recency or adequacy of information contained in this document and is not responsible for misprints, out-of-date information, or errors. EBSCO may make changes to the information in this document or to the products described herein, at any time without notice. If you believe there are any factual errors in this document, please contact us and we will review your concerns as soon as possible.