

Voluntary Product Accessibility Template® (VPAT®)

International Edition

Version 2.5

About This Document	1
Essential Requirements and Best Practices for Information & Communications Technology (ICT) Vendors.....	3
Getting Started	3
Essential Requirements for Authors	3
Best Practices for Authors	6
Posting the Final Document.....	9
Table Information for VPAT® Readers.....	10
[Company] Accessibility Conformance Report.....	11

About This Document

The VPAT is provided in four editions based on the standards/guidelines being evaluated. The editions are WCAG, Revised 508, EN 301 549 and International, which includes all of the standards.

This is the International edition of the VPAT. It includes the following standards/guidelines:

- [Web Content Accessibility Guidelines 2.0](#)
- [Web Content Accessibility Guidelines 2.1](#)
- [Web Content Accessibility Guidelines 2.2](#)
- [Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018](#)
- [EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 \(2019-11\)](#)
- [EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 \(2021-03\)](#)

Note that both EN 301 549 V3.1.1 and V3.2.1 are listed in this section because the criteria are identical and the VPAT covers both standards. If you need a different combination of standards/guidelines, use the appropriate alternate edition of the VPAT found on [ITI Accessibility web page](#).

If you do not need to report on all these standards/guidelines, use the appropriate standard-specific VPAT edition found on the [ITI Accessibility web page](#).

This document is broken into two main sections:

- Essential Requirements and Best Practices for using the VPAT® to complete an Accessibility Conformance Report (the instructions)
- The VPAT

Please carefully review the Essential Requirements and Best Practices sections before using the VPAT to create an Accessibility Conformance Report.

The purpose of these instructions is to promote accurate and consistent reporting of product accessibility information.

The VPAT is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the Accessibility Conformance Report is to assist customers and buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology," also referred to as "Information and Communication Technology" (ICT) products and services with features that support accessibility.

The Information Technology Industry Council (ITI) provides the VPAT. Use of the template and service mark does not require membership in ITI.

Essential Requirements and Best Practices for Information & Communications Technology (ICT) Vendors

This section provides guidance for reporting product conformance for major accessibility standards and guidelines using the VPAT® to produce the Accessibility Conformance Report. Deviating from these guidelines precludes vendors from referencing the template by name and/or the VPAT acronym.

Getting Started

1. Before creating a report, read all of the materials provided in this document.
2. Determine which accessibility standards/guidelines will be included in the product conformance report.
3. It is the vendor's responsibility to maintain the integrity of the data in the report.

Essential Requirements for Authors

The following are the minimum requirements to produce an Accessibility Conformance Report based on the VPAT®.

1. The VPAT name and template are registered service marks of ITI. Use of the VPAT template and name requires the inclusion of the registered service mark (i.e., "VPAT®"). Users of the VPAT agree not to deviate from the Essential Requirements for Authors.
2. The template file can be used as is or replicated in a different delivery format, for example as HTML or PDF. The final conformance report must be accessible.
3. A report must contain a minimum of one applicable Standard/Guideline or may contain any combination of the Standards/Guidelines that are applicable to the product being reported.
4. A report must contain the following content at a minimum:
 - **Report Title** – In the heading format of "[Company Name] Accessibility Conformance Report"
 - **VPAT Heading Information** – Template version
 - **Name of Product/Version** – Name of Product being reported, including product version identifier if necessary

- **Report Date** – Date of report publication. At a minimum, provide the month and year of the report publication. For example, “May 2016”. If date is included, ensure it is clear “4 May 2016” or “May 4, 2016”.
- **Product Description** – A brief description of the product
- **Contact Information** – Contact Information for follow-up questions. Listing an email is sufficient.
- **Notes** – Any details or further explanation about the product or the report. This section may be left blank.
- **Evaluation Methods Used** – Include a description of evaluation methods used to complete the VPAT for the product under test.
- **Applicable Standards/Guidelines** – A clear indication of which Standards/Guidelines this Conformance Report covers.
 - The list must include only the Standards/Guidelines used to evaluate the product.
 - A report must contain a minimum of one Standard/Guideline or any combination of the Standards.
 - The applicable Standards/Guidelines that may be included are:
 - [Web Content Accessibility Guidelines 2.0](#) or WCAG 2.0 (ISO/IEC 40500)
 - [Web Content Accessibility Guidelines 2.1](#) or WCAG 2.1
 - [Web Content Accessibility Guidelines 2.2 or WCAG 2.2](#)
 - [Revised Section 508 standards](#) – the U.S. Federal accessibility standard for ICT Products, published by the U.S. Access Board in the Federal Register on January 18, 2017 and corrected on January 22, 2018
 - [EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 \(2019-11\)](#)
 - [EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 \(2021-03\)](#)
 - Note that both EN 301 549 V3.1.1 and V3.2.1 are listed in this section because the criteria are identical and the VPAT covers both standards. If you need a different combination of standards/guidelines, use the appropriate alternate edition of the VPAT found on [ITI Accessibility web page](#).
 - If other Standards/Guidelines are reported, use the appropriate VPAT edition.

- This information can be in a table format at the top of the report with the table heading 'Standards/Guidelines' and the reported Standards/Guidelines identified. This information can alternatively be supplied in the introductory text of the report. In the VPAT we have used a table as an example and listed "(yes / no)" for each standard/guideline. To indicate what the report covers leave the appropriate yes or no on each standard/guideline.
- If multiple Standards or Guideline tables are included, each table must identify the Standard or Guideline that the criteria in that table represent.
- **Terms** – The report must list the definition of the terms used in the Conformance Level column. ITI recommends the following terms. If a vendor deviates from the ITI definitions, the vendor shall reference this change in the heading Notes section. If a term is not used it can be removed from the list. The ITI definitions are:
 - **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
 - **Partially Supports:** Some functionality of the product does not meet the criterion.
 - **Does Not Support:** The majority of product functionality does not meet the criterion.
 - **Not Applicable:** The criterion is not relevant to the product.

Note: When filling in the WCAG tables, a response may use 'Supports' where one might otherwise be inclined to use 'Not Applicable'. This is in keeping with [WCAG 2.0 Understanding Conformance](#): This means that if there is no content to which a success criterion applies, the success criterion is satisfied.

- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.
 - **Tables for Each Standard or Guideline** – Tables showing the responses to the criteria.
5. WCAG Conformance Information – The answers in the WCAG success criteria are based on the level of conformance being reported (Level A, AA or AAA).
- These tables are used to answer:
 - Revised Section 508:
 - Chapter 5 Software
 - Chapter 6 Support Documentation

- EN 301 549 Standard:
 - Chapter 9 Web
 - Chapter 10 Non-Web Documents
 - Chapter 11 Software
 - Chapter 12 Documentation and Support Services
 - The selected levels of WCAG 2.x Guidelines.
 - The WCAG conformance information can either be included in the provided WCAG section of the report which is cross-referenced from the EN 301 549 responses, or the WCAG information can be incorporated within the EN 301 549 section of the report. The information does not need to be duplicated.
 - If using a summary table, due to answers applying to multiple criteria, when answering for the Revised Section 508 or EN 301 549, the answers need to be clear about which individual criteria the answer applies to. It is possible to either use a summary, selecting the worst case for the criteria, or to have separate answers or even tables for software, support documentation, authoring tools, etc., so long as the methodology used is made clear.
 - If not completing a set of Standards such as Section 508 or EN 301 549, then remove the breakdown information and answer only for the WCAG criteria.
 - When only reporting on WCAG 2.0 criteria, it is acceptable to remove the WCAG 2.1 and 2.2-specific criteria from the table. These are marked '2.1 and 2.2' or '2.2 only' within the row. Likewise, if only reporting on WCAG 2.1, it is acceptable to remove the rows with criteria marked '2.2 only' from the table.
6. Remarks and Explanations – Detailed remarks should be provided in the Remarks and Explanations column to justify your answer in the Conformance Level column.
- When the conformance level is 'Partially Supports' or 'Does Not Support', the remarks should identify:
 1. The functions or features with issues
 2. How they do not fully support
 - If the criterion does not apply, explain why.
 - If an accessible alternative is used, describe it.
7. In the Section 508 tables, when subsections of criteria do not apply to the product, the section may be summarized or removed as long as an explanation is provided explaining why a criterion does not apply. Another alternative is to leave the table and add a summary why the section does not apply. For example, in Chapter 5 the criteria in 502 and 503 will not apply to a web only application, thus

those sections can be removed with a summary in the notes for the chapter, or a row in the table.

Best Practices for Authors

ITI suggests that authors adopt the following best practices when using the VPAT® to create an Accessibility Conformance Report.

- **Branding Header:** Company logo or branding information
- **Report Date Changes:** If a report is revised, change the report date and explain the revision in the Notes section. Alternately, create a new report and explain in the Notes section that it supersedes an earlier version of the report.
- **Notes:** Add any notes applicable to product or the report
 - Additional information about the product version that the document references
 - Any revisions to the document
 - Links to any related documents
 - Additional information describing the product
 - Additional information about what the document does or does not cover
 - Information suggested by the [WCAG 2.0 Conformance Claim](#)
 - Information needed to satisfy ISO/IEC 17050-1:2004, Supplier's Declaration of Conformity
- **Evaluation Methods Used** – Information to enter may include the following:
 - Testing is based on knowledge of general product functionality (Instructional note: this would mean the tester knows how to use the common uses and flows of the product in addition to accessibility)
 - Similar to another evaluated product
 - Testing with assistive technologies
 - Published test method (provide name, publisher, URL link)
 - Vendor proprietary test method
 - Other test method
- **Remarks and Explanations:** This section may include:
 - Information regarding the testing of a given criteria.
 - Information on application dependencies to support accessibility (e.g. OS, app frameworks, browsers recommended).

- How the customer can find more information about accessibility issues. One method can be to include the bug ID where customers can call the company's customer support to get additional information.
 - Known workarounds for accessibility issues.
- **Legal Disclaimer:** Area for any legal disclaimer text required by your organization.
- **Report Size:** To reduce the size of the report it is acceptable to remove sections. Individual criteria cannot be removed, only sections at a time. Section removal is acceptable in four situations:
 - When an entire standard is not being reported on, for example EN 301 549, there should be no references of it in the report.
 - When an entire section is not being reported on because it does not apply to the product, for example:
 - Chapter 4: Hardware. Information should be included in the notes for that section why it has been removed.
 - A card reader that does not have sound could remove the criteria in section 413 Closed Caption Processing Technologies and just note the why the criteria does not apply.
 - When only reporting on WCAG 2.0 criteria, it is acceptable to remove the WCAG 2.1 and WCAG 2.2-specific criteria from the table. These are marked '2.1 and 2.2' or '2.2 only' within the row. Likewise, if only reporting on WCAG 2.1, it is acceptable to remove the rows with criteria marked '2.2 only' from the table.
 - If the product is not being evaluated for a level of the criteria (for example Level AAA) then that table may be deleted.
 - If a requesting customer has identified that a section of the standard does not apply, information should be included in the notes that the section has been removed.
- **WCAG 2.x Tables:** The WCAG 2.x criteria are shown in three tables, Level A, Level AA, and Level AAA.
 - If desired, these tables can be combined into one table.
 - When reporting on a level (A, AA, or AAA) all criteria for that level must be answered for the particular version of WCAG that the report includes.
- **Language:** Translation to other languages is permitted.
- **Multiple Reports:** When using the VPAT to create an Accessibility Conformance Report for complex products it may be helpful to separate

answers into multiple reports. For example, when a product is an Authoring Tool that also has web content and documentation. When multiple reports are used for a complex product, it is required to explain this and how to reach the other reports in the Notes section of each report.

- **Criteria Text:** To help conserve space in the ITI template only the criteria ID number and a short title have been included. Where possible, links have been included to the standard/guideline.
 - It is acceptable to add the full text of the criteria into the cell if desired to help with understanding.
 - The links to the standards/guidelines can be removed.
- **Ordering of Tables:** The order that the standards/guideline tables appear may be changed to facilitate reading. The current order is WCAG, Section 508 and EN 301 549. You can change this order if desired or incorporate the WCAG criteria into the Section 508 and EN 301 549 tables.
- **Guideline Section Heading Rows in Tables:** The tables include heading rows to facilitate understanding the context of the criteria.
 - The cells in these rows do not require answers as indicated by “Heading cell – no response required.”
 - It is optional to add a response if desired.
 - The shading of the row is also optional.
 - If removing the heading rows, edit the criteria titles so it’s clear where they apply.

Posting the Final Document

- When publishing your Accessibility Conformance Report, be sure to remove the entire first 10 pages of this document, including the table of contents, introductory information and instructions.
- Check for each required item in the VPAT® document:
 - **[Company Name] Accessibility Conformance Report** (report title)
 - **(Based on VPAT® Version 2.5)**
 - **Name of Product/Version**
 - **Report Date**
 - **Product Description**
 - **Contact Information**
 - **Notes**

- **Evaluation Methods Used**
- **Applicable Standards/Guidelines**
- **Terms**
- **Tables for Each Standard or Guideline**
 - Check that there is a response for each criterion for 'Conformance Level' and 'Remarks and Explanations.'
- Verify that the final document is accessible.
- Post your final document on your company's web site, or make the document available to customers upon request.

Table Information for VPAT® Readers

For each of the standards, the criteria are listed by chapter in a table. The structures of the tables are: the first column contains the criteria being evaluated, the second column describes the level of conformance of the product regarding the criteria and the third column contains any additional remarks and explanations regarding the product.

- When sections of criteria do not apply, or are deemed by the customer as not applicable, the section is noted as such and the rest of that table may be removed for that section.
- When multiple standards are being recorded in this document, the duplicative sections are noted and responded to only one time. The duplicate entry will note the cross reference to the data.

Springshare Accessibility Conformance Report

International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: LibWizard

Report Date: December 1, 2025

Product Description: Web application for creating and publishing forms, surveys, quizzes, and tutorials

Contact Information: Sarah Pawlek | support@springshare.com

Notes:

Evaluation Methods Used: Knowledge of the product; SiteImprove, iOS VoiceOver, WAVE; Browser developer tools

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes)

Standard/Guideline	Included In Report
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.1.1 Non-text Content</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: All images other than decorative images are accompanied by alternative text by default. All image inputs are accompanied by an alt text field to encourage web authors to include this info.
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: LibWizard does not contain any native audio-only or video-only prerecorded media. It is possible to reference third-party videos in the tutorials through widgets. Caution should be exercised to ensure that the embedded videos or audios meet the accessibility criteria.

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Supports Authoring Tool: Not Applicable	Web, Authoring Tool: LibWizard doesn't contain audio- or video-only content. Electronic Docs: Both short-form and long-form training videos on our training site are captioned.
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: LibWizard, our help docs, and the authoring tool do not contain synchronized media.
<u>1.3.1 Info and Relationships</u> (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Information is presented in a clearly labeled, logical page structure which can be understood by assistive devices.

Criteria	Conformance Level	Remarks and Explanations
11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: LibWizard pages are structured to provide users with the correct reading sequence.
1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring tool: There are no instructive elements in LibWizard which rely solely on sensory characteristics. All elements are constructed with corresponding text-based information that's visible to assistive devices.

Criteria	Conformance Level	Remarks and Explanations
12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web: Color is not used as a means of conveying information in LibWizard Forms. Question answer feedbacks use color but are also accompanied by text to convey meaning. Electronic Docs: Color is not used as a means of conveying information in our support documentation. Authoring Tool: Color is not used as a means of conveying information. Charts use different color palettes but are also labelled with appropriate legends and data value names. We also include the Highcharts accessibility plugin in all our charts.
1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Authoring Tool: There are no audio components that play more than 3 seconds in the default LibWizard interface. Electronic Docs: Our video documentation does not include autoplaying videos/audio. All videos/prerecorded content can be paused/started/stopped at will.

Criteria	Conformance Level	Remarks and Explanations
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: LibWizard supports keyboard navigation. Non-text elements such as images, selector menus, search boxes, etc. all contain appropriate labels so all elements are selectable and functional when navigating via keyboard. Note: You can reorder fields on all forms by updating the fields' select option using keyboard controls.
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: All functional elements have been tested to ensure there are no keyboard traps, especially in elements like selector menus and modal windows.
2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document)	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: As LibWizard is all web-based, browser shortcuts apply but are not altered or controlled by LibWizard.

Criteria	Conformance Level	Remarks and Explanations
11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: LibWizard does not contain timed elements. Web: The optional Timed Quiz is considered an “essential exception”. The optional redirect countdown is set to 5 seconds.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool)	Web: Not Applicable Electronic Docs: Supports Authoring Tool: Not Applicable	Web, Authoring Tool: LibWizard does not contain native video/audio. It is possible to embed videos from services like YouTube and Vimeo. The embedded videos’ controls are provided by those third-party services. Electronic Docs: Our recorded documentation can be paused, stopped, and hidden at will.

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: LibWizard does not contain elements that flash.
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Web: Not Applicable Electronic Docs: Supports Authoring Tool: Supports	Web: There are no navigation menus on the public view unless the user injects custom navigation HTML. We still provide a “Skip to Main” link in all forms. Electronic Docs: Our documentation pages contain a skip to main content link to help users bypass repeated page navigation menus. Authoring Tool: We have a ‘Skip to Main Content’ link for all authoring tool pages that allows users to skip the top navigation. We also include a “Skip Navigation” link for the left navigation bar settings.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: All pages have meaningful page titles.

Criteria	Conformance Level	Remarks and Explanations
9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
<u>2.4.3 Focus Order</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Content is presented in a meaningful sequential way using appropriate html headers.
<u>2.4.4 Link Purpose (In Context)</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs: The purpose of links presented in LibWizard can generally be determined from the link text alone. When images are used (as in the case of font awesome icons), we include accessible text so their purpose can be understood. Authoring Tool: SiteImprove is flagging the top navbar's user account and logout buttons incorrectly on smaller

Criteria	Conformance Level	Remarks and Explanations
11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		screens as violating this criterion. We have tested keyboard navigation with screenreaders and verified that the user account and the word logout are announced when focused.
2.5.1 Pointer Gestures (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: There are no multi-point or path-based gestures.
2.5.2 Pointer Cancellation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: There are no multi-point or path-based gestures.
2.5.3 Label in Name (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Label names contain the same text that is presented visually.

Criteria	Conformance Level	Remarks and Explanations
10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
2.5.4 Motion Actuation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: There are no features that contain functionality that relies on device motion.
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: The default language of each page is declared in the appropriate html lang attribute.

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: There are no elements that change context on focus in LibWizard.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Form elements that can trigger a change of context (like submit buttons) have values which clearly describe the action/change.
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: All public pages are customizable. Site admins can include a custom help link or button in their forms, surveys, quizzes, and tutorials.
3.3.1 Error Identification (Level A) Also applies to:	Web: Supports Electronic Docs: Supports	Web, Electronic Docs, Authoring Tool: Errors in form submissions are described in warning info boxes or

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Authoring Tool: Supports	toast notifications.
<u>3.3.2 Labels or Instructions</u> (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: LibWizard includes appropriate labels when content requires input.
<u>3.3.7 Redundant Entry</u> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Does not support	Web: Editors could add duplicate or redundant fields into their form so best accessible practice is advised with the content creation.
<u>4.1.1 Parsing</u> (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata .

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
<u>4.1.2 Name, Role, Value</u> (Level A) Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: In cases where we have created our own, non-native HTML elements, the name and role of those elements can be programmatically determined as described in the guidelines.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.4 Captions (Live)</u> (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Supports Authoring Tool: Not Applicable	Web, Authoring Tool: LibWizard does not natively contain videos or support video uploads. Electronic Docs: We provide captions for our documentation videos and recorded webinars but we do not provide concomitant closed captioning for our live webinar sessions; these use an AI captioning service that is up to 80% accurate.
<u>1.2.5 Audio Description (Prerecorded)</u> (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs, Authoring Tool: LibWizard does not contain prerecorded video/synchronized media.
<u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document)	Web: Supports Electronic Docs: Supports Authoring Tool: Does not support	Web, Electronic Docs: LibWizard does not restrict users to viewing content in portrait or landscape mode, and functions in either view.

Criteria	Conformance Level	Remarks and Explanations
11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		Authoring Tool: LibWizard currently does not support Form editing on smaller form factored mobile devices (less than 600px width).
<u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports Electronic Docs: Supports Authoring Tool: Does not support	Web, Electronic Docs: Name and Email fields can be set to autofill with relevant information. Authoring Tool: New Account Fields do not have the type attributes (email). They do not have autocomplete attributes. We do not want to add autocomplete to the new account email fields because this could be set to any new email.
<u>1.4.3 Contrast (Minimum)</u> (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web: All texts, buttons, and links meet the minimum 4.5:1 contrast ratio. It is possible to customize elements through custom CSS in the public interface. Authoring Tool, Electronic Docs: All texts, buttons, and links meet the minimum 4.5:1 contrast ratio.

Criteria	Conformance Level	Remarks and Explanations
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Partially Supports	Web, Electronic Docs, Authoring Tool: Text can be resized without assistive technology without loss of content/function. Authoring Tool: Our modals do not resize properly on 200% zoom.
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Authoring Tool: LibWizard does not utilize images of text. It's possible to upload a custom banner image which could include text as part of a logo – this is customizable and also includes accompanying descriptive text. Electronic Docs: Our help docs will sometimes include screenshots which include text to label screenshot elements; these are always accompanied by text information within the same page.
1.4.10 Reflow (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: The LibWizard interface is responsive and meets this criterion.

Criteria	Conformance Level	Remarks and Explanations
11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: LibWizard's non-text contrast meets the required ratio of 3:1.
1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Text spacing conforms to these requirements. It's possible to customize all CSS elements in the public interface and care should be taken to remain in compliance.
1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) 10.1.4.13 (Non-web document)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then

Criteria	Conformance Level	Remarks and Explanations
11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		hidden, that content is dismissible, hoverable, and persistent.
<u>2.4.5 Multiple Ways</u> (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web: The user created forms serve as standalone forms. It is possible for users to update the form with a custom navigation bar and embed the form in their website. Electronic Docs: The top navigation bar is available on all “Ask Springshare” documentation pages. Authoring Tool: The top navigation bar is available on all authoring tool pages that have the link to the main landing page and other component pages. The only exception is the form preview, which is a valid exception.
<u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Headings and labels describe the topic/purpose of each page/piece of content within the page.

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Partially Supports	Web, Electronic Docs: All elements have a component that's highlighted by the user agent when they receive focus. Authoring Tool: The rich text editor (CKEditor) is missing visible focus in field editors.
2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: All focusable elements are visible when keyboard focus is received.
2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: Our ranking fields include dropdown menus that allow options to be sorted without the use of any dragging motions. Slider fields include numeric inputs that can be used to set the value without the use of any dragging motions.
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: All target points have minimum size of 24 by 24 CSS pixels.
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: We use the html language attribute to declare the language of each full page.

Criteria	Conformance Level	Remarks and Explanations
11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Navigational mechanisms that repeat are always presented in the same relative order. Authoring Tool: A valid exception to this is the “Preview” form page.
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: The components that have the same functionality within LibWizard are identified consistently.

Criteria	Conformance Level	Remarks and Explanations
504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs		
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: We provide text descriptions to identify required fields. These required fields also contain aria-required properties.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Not Applicable Electronic Docs: Not Applicable Authoring Tool: Not Applicable	Web, Electronic Docs. Authoring Tool: LibWizard does not handle legal or financial data.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: Forms can be configured to require a LibAuth login or a password. The password can be autofilled with a Password Management System. This fulfills the

Criteria	Conformance Level	Remarks and Explanations
		success criterion as per https://www.w3.org/TR/WCAG22/#accessible-authentication-minimum
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Supports Electronic Docs: Supports Authoring Tool: Supports	Web, Electronic Docs, Authoring Tool: Status messages are presented using roles and can be presented without receiving focus.

Table 3: Success Criteria, Level AAA

Notes: LibWizard has not been evaluated against level AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	We have tested all elements of the LibWizard interface using VoiceOver, and regularly test LibWizard using SiteImprove and WAVE. Page content is structured in a meaningful hierarchy and can be navigated and understood using a keyboard and/or screenreader, and we strive to make sure all development is executed in a way that's meaningful and clearly understandable to users without vision.
302.2 With Limited Vision	Supports	LibWizard can be used with limited vision.
302.3 Without Perception of Color	Supports	LibWizard generally does not rely on color to convey meaning. In the limited cases where this is the case, an alternative means of understanding the meaning conveyed by color is included.
302.4 Without Hearing	Supports	LibWizard by default does not have any video or audio recordings.
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Not Applicable	LibWizard does not require speech to function.
302.7 With Limited Manipulation	Supports	The public web interface can be navigated using keyboard controls.
302.8 With Limited Reach and Strength	Supports	

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	

Chapter 4: [Hardware](#)

Notes: Not applicable to LibWizard.

Chapter 5: [Software](#)

Notes: See <https://www.section508.gov/buy/determine-ict-standards/#1> 504 refers to authoring tool. Our web content is considered a website
<https://www.section508.gov/content/glossary/>

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	
502.2.2 No Disruption of Accessibility Features	Not Applicable	
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Not Applicable	
502.3.2 Modification of Object Information	Not Applicable	
502.3.3 Row, Column, and Headers	Not Applicable	
502.3.4 Values	Not Applicable	
502.3.5 Modification of Values	Not Applicable	
502.3.6 Label Relationships	Not Applicable	
502.3.7 Hierarchical Relationships	Not Applicable	
502.3.8 Text	Not Applicable	
502.3.9 Modification of Text	Not Applicable	
502.3.10 List of Actions	Not Applicable	
502.3.11 Actions on Objects	Not Applicable	
502.3.12 Focus Cursor	Not Applicable	
502.3.13 Modification of Focus Cursor	Not Applicable	
502.3.14 Event Notification	Not Applicable	
502.4 Platform Accessibility Features	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Not Applicable	Applications that are designed to be isolated from their underlying platform system, including Web applications, shall not be required to conform to 503.2.
503.3 Alternative User Interfaces	Not Applicable	
<u>503.4 User Controls for Captions and Audio Description</u>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	
503.4.2 Audio Description Controls	Not Applicable	
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Supports	
504.2.2 PDF Export	Supports	
504.3 Prompts	Supports	
504.4 Templates	Supports	

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>601.1 Scope</u>	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	The documentation for LibWizard lists and explains the compatibility features of the product.
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Does Not Support	Our documentation are all web-based.
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
603.2 Information on Accessibility and Compatibility Features	Supports	Our support team can answer questions about the accessibility of LibWizard through our support channels.
603.3 Accommodation of Communication Needs	Supports	Our support team can answer questions about the accessibility of LibWizard through our support channels.

EN 301 549 Report

Notes:

Chapter [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	We have tested all elements of the LibWizard interface using VoiceOver, and regularly test LibWizard using SiteImprove and WAVE. Page content is structured in a meaningful hierarchy and can be navigated and understood using a keyboard and/or screenreader, and we strive to make sure all development is executed in a way that's meaningful and clearly understandable to users without vision.
4.2.2 Usage with limited vision	Supports	LibWizard can be used with limited vision.
4.2.3 Usage without perception of colour	Supports	LibWizard generally does not rely on colour to convey meaning. In the limited cases where this is the case, an alternative means of understanding the meaning conveyed by color is included.
4.2.4 Usage without hearing	Supports	LibWizard by default does not have any video or audio recordings.
4.2.5 Usage with limited hearing	Supports	
4.2.6 Usage with no or limited vocal capability	Not Applicable	LibWizard does not require speech to function.
4.2.7 Usage with limited manipulation or strength	Not Applicable	
4.2.8 Usage with limited reach	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
4.2.9 Minimize photosensitive seizure triggers	Supports	LibWizard does not have any flashing elements.
4.2.10 Usage with limited cognition, language or learning	Supports	
4.2.11 Privacy	Supports	

Chapter [5: Generic Requirements](#)

Notes: LibWizard does not have closed functionality, and so the scoping of Chapter 5 seems to not apply according to the EN 301 549 V3.2.1.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not applicable to LibWizard.

Chapter [7: ICT with Video Capabilities](#)

Notes: Not applicable to LibWizard.

Chapter [8: Hardware](#)

Notes: LibWizard is not considered a hardware product.

Chapter [9: Web](#) (see [WCAG 2.x section](#))

Notes:

Chapter [10: Non-Web Documents](#)

Notes: The authoring tool has the Export to CSV functions.

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
10.6 Audio description timing	Not Applicable	

Chapter [11: Software](#)

Notes: LibWizard is web-based and not considered software. Requirements in clauses 11.1 to 11.5 do not apply to web pages. See WCAG 2.x section.

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	
11.5.2.5 Object information	Not Applicable	
11.5.2.6 Row, column, and headers	Not Applicable	
11.5.2.7 Values	Not Applicable	
11.5.2.8 Label relationships	Not Applicable	
11.5.2.9 Parent-child relationships	Not Applicable	
11.5.2.10 Text	Not Applicable	
11.5.2.11 List of available actions	Not Applicable	
11.5.2.12 Execution of available actions	Not Applicable	
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	
11.5.2.14 Modification of focus and selection attributes	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
11.5.2.15 Change notification	Not Applicable	
11.5.2.16 Modifications of states and properties	Not Applicable	
11.5.2.17 Modifications of values and text	Not Applicable	
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	
11.6.2 No disruption of accessibility features	Supports	
11.7 User preferences	Supports	For web content, the underlying platform is the user agent.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	See WCAG 2.x section (If not authoring tool, enter “Not Applicable”)	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	
11.8.4 Repair assistance	Not Applicable	It is possible for the content creators to create content that do not fully meet the accessible criteria from clauses 9 (Web) or 10 (Non-web documents). We do not provide a built-in accessibility checking functionality in the authoring tool.
11.8.5 Templates	Supports	

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Supports	We offer an accessibility statement available on our website as per 12.1.1 Note 3.

Criteria	Conformance Level	Remarks and Explanations
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Our support team can answer questions about the accessibility of LibWizard through our support channels.
12.2.3 Effective communication	Supports	
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not applicable to LibWizard.

Legal Disclaimer (Company)

Our Accessibility Statement can be found at <https://springshare.com/accessibility.html>